

Grazie per aver scelto il nostro prodotto!



ASTA MICROFONICA DA TAVOLO ST-50M

Grazie per aver scelto l'asta microfonica da tavolo professionale ST-50M. Dotata di un braccio snodabile e di staffa di fissaggio integrata, èprogettata per supportare microfoni fino a un peso massimo di 1 kg. Viene fornita con un cavo bilanciato da 4 metri con connettori XLR, L' impiego ideale dell'asta microfonica da tavolo ST-50M è per conferenze, podcast, registrazioni vocali e streaming.

CONTENUTO DELLA CONFEZIONE

All'interno della confezione troverai:

- 1 Asta microfonica da tavolo ST-50M
- 1 Cavo XLR-XLR da 4m bilanciato
- 1 Manuale di istruzioni.

MONTAGGIO E USO

- Installazione del'asta:
 - Estrarre l'asta dalla confezione
 - Fissare la staffa integrata a un bordo del tavolo utilizzando la vite regolabile del morsetto.
 - Assicurarsi che il morsetto sia ben saldo e che la struttura sia stabile.

Microfono:

- Collegare una pinza microfonica con attacco da 3/8" all'estremità superiore del braccio.
- Inserire il microfono nella pinza e verificare che sia ben fissato.
- Controllare che il peso del microfono non superi 1 kg.
- Connettere il cavo XLR integrato al microfono
- Collegare l'altra estremità del cavo a un mixer, scheda audio o amplificatore.
- Posizionare il microfono all'altezza e nella direzione più adatte all'utilizzo.

• Regolazione del braccio:

- Regolare il braccio snodabile per impostare l'altezza, l'angolazione e la posizione desiderate.
- Utilizzare la manopola di blocco per fissare il braccio nella posizione scelta.
- Ruotare il braccio fino a 360° per orientarlo al meglio.
- Evitare di applicare forza eccessiva durante la regolazione del braccio.

AVVERTENZE DI SICUREZZA

- Fissaggio al tavolo: Ilnstallare la staffa su un bordo del tavolo solido, con uno spessore adeguato a supportare il morsetto e non utilizzare su superfici fragili o irregolari per evitare instabilità.
- Limiti di peso: Non superare il peso massimo supportato di 1 kg per evitare danni agli snodi o al morsetto.
- Cura del cavo: Non piegare o tirare il cavo XLR in modo eccessivo per evitare danni e tenere il cavo lontano da fonti di calore o oggetti appuntiti.
- Rischi elettrici: Verificare l'integrità del cavo per evitare cortocircuiti o scosse.
- Manutenzione: Pulire l'asta e il morsetto con un panno asciutto. Non utilizzare solventi chimici o detergenti abrasivi. Controllare regolarmente la stabilità delle parti mobili.
- Sicurezza generale: Tenere il prodotto lontano dalla portata di bambini piccoli e non utilizzare l'asta in ambienti umidi o polverosi.

SPECIFICHE TECNICHE

- Materiale: Metallo robusto con componenti rinforzati.
- Lunghezza braccio snodabile: 800 mm
- Rotazione: 360°
- Attacco per pinza microfonica: Filettatura standard 3/8".
- Cavo integrato: Tipo bilanciato, lunghezza 4 metri, con connettori XLR.
- Peso massimo supportato: 1Kg
- Sistema di fissaggio: Staffa integrata con vite a morsetto regolabile.

AVVERTENZE GENERALI SULLA SICUREZZA

- Questo prodotto è stato progettato e testato per soddisfare i requisiti di sicurezza definiti dalla normativa GPSR (General Product Safety Regulation) dell'Unione Europea.
- Si prega di utilizzare questo prodotto solo secondo le indicazioni fornite nel manuale d'uso per garantire la sicurezza.
- L'uso di questo prodotto da parte dei bambini e delle persone vulnerabili deve sempre avvenire sotto la supervisione di un adulto responsabile.
- Non utilizzare il prodotto su superfici irregolari.
- Utilizzare il prodotto solo in ambienti asciutti
- Non esporre a umidità, polvere, fiamme vive.
- Non utilizzare il prodotto se visibilmente danneggiato o con parti mancanti
- Non utilizzare come strumento per salire o sostenere carichi dinamici.
- L'uso inappropriato può causare danni al prodotto e rischi per la sicurezza.

GARANZIA E ASSISTENZA

Questo prodotto è coperto da una garanzia di 2 anni contro i difetti di fabbricazione. La garanzia non copre i danni causati da usura normale o uso improprio.

Per assistenza post vendita ti preghiamo di contattare il tuo rivenditore che saprà fornire tutte le istruzioni del caso



Inquadra il QR-Code per scaricare la documentazione del prodotto.

Smaltire il prodotto e il suo imballaggio in modo responsabile, secondo le normative locali per il riciclo e la protezione ambientale



Soundsation* is a registered trademark of FRENEXPORT SPA - Italy Soundsation* è un marchio di fabbrica registrato della FRENEXPORT SPA - Italy









ST-50M DESK MICROPHONE STAND

Thank you for choosing the professional ST-50M desk microphone stand. Equipped with an articulated arm and an integrated mounting clamp, it is designed to support microphones weighing up to 1 kg. It comes with a 4-meter balanced cable with XLR connectors. The ST-50M desk microphone stand is ideal for use in conferences, podcasts, voice recordings, and streaming.

PACKAGE CONTENTS

Inside the package, you will find:

- 1 ST-50M Desk Microphone Stand
- 1 4m Balanced XLR-XLR Cable
- 1 Instruction Manual

ASSEMBLY AND USE

Stand Installation:

- Remove the stand from the packaging.
- Attach the integrated clamp to the edge of the table using the adjustable screw of the clamp.
- Ensure the clamp is securely fastened and the structure is stable.

Microphone:

- Attach a microphone holder with a 3/8" mount to the upper end of the arm.
- Insert the microphone into the holder and ensure it is firmly secured.
- Verify that the microphone's weight does not exceed 1 kg.
- Connect the integrated XLR cable to the microphone.
- Connect the other end of the cable to a mixer, audio interface, or amplifier.
- Position the microphone at the appropriate height and direction for your use.

• Arm Adjustment:

- Adjust the articulated arm to set the desired height, angle, and position.
- Use the locking knob to secure the arm in the chosen position.
- Rotate the arm up to 360° for optimal orientation.
- Avoid applying excessive force when adjusting the arm.

SAFETY WARNINGS.

- Table Mounting: Install the clamp on the edge of a solid table with a thickness sufficient to support the clamp. Do not use on fragile or uneven surfaces to avoid instability.
- Weight Limits: Do not exceed the maximum supported weight of 1 kg to prevent damage to the joints or clamp.
- Cable Care: Do not bend or pull the XLR cable excessively to avoid damage, and keep the cable away from heat sources or sharp objects.
- Electrical hazards: Check the integrity of the cable to avoid short circuits or shocks.
- Maintenance: Clean the stand and clamp with a dry cloth. Do not use chemical solvents or abrasive cleaners. Regularly check the stability of the movable parts.
- General Safety: Keep the product out of reach of young children, and do not use the stand in humid or dusty environments.

TECHNICAL SPECIFICATIONS

- Material: Sturdy metal with reinforced components.
- Articulated arm length: 800 mm
- Rotation: 360°
- Microphone holder mount: Standard 3/8" thread.
- Integrated cable: Balanced type, 4 meters in length, with XLR connectors.
- Maximum supported weight: 1 kg
- Mounting system: Integrated clamp with adjustable screw.

GENERAL SAFETY WARNINGS

- This product has been designed and tested to meet the safety requirements set out in the European Union General Product Safety Regulation (GPSR)
- Please use this product only as directed in the user manual to ensure safety.
- Use of this product by children and vulnerable people must always be under the supervision of a responsible adult.
- Do not use the product on uneven surfaces.
- Use the product only in dry environments.
- Do not expose to moisture, dust, naked flames.
- Do not use the product if it is visibly damaged or missing part
- Do not use as a tool for climbing or supporting dynamic loads.
- Inappropriate use may cause damage to the product and safety risks.

WARRANTY AND ASSISTANCE

This product comes with a 2-year warranty against manufacturing defects. The warranty does not cover damage caused by normal wear and tear or improper use.

For after-sales assistance, please contact your retailer, who will provide the necessary instructions.



Scan the QR code to download the product documentation.

Dispose of the product and its packaging responsibly, according to local regulations for recycling and environmental protection



frenexport.it - contact@frenexport.it

Soundsation* is a registered trademark of FRENEXPORT SPA - Italy Soundsation* è un marchio di fabbrica registrato della FRENEXPORT SPA - Italy





