

ADDENDUM II

Mar - 2023


1.1. BT Name/Password Change

In order to change BT Name and/or Password of HELVIA HSMA/HDMA/HMMA PLAY Series Mixer Amplifiers, the following elements are required:

- "ConfigurationTool-V1.0" software or later version
- 1 Male to Male USB-A 2.0 cable (please visit <https://www.frenexport.it/en/catalogs> to find the correct cable)

Operation

1. When the machine is off, plug the USB cable to a USB 2.0 port or higher on your PC (Windows) to the mixer-amplifier. The first time, your PC will find the appropriate driver for the internal USB device of the HELVIA mixer. Wait until the PC has completed setup and the device is ready to use.

 **NOTE: if PC does not search for any drivers and does not display the connected device (the name of the HELVIA mixer – such as HDMA-120D PLAY or other – should appear in the connected audio devices. Go to Settings>Devices>BT and other Devices), make sure your PC is connected to the web and is authorized to install a new hardware (contact system administrator for details if necessary).**

2. Without switching the mixer-amplifier on, you will notice that the display will light up as if the machine is on and will go automatically in PC mode. The display will only show "PC" and the volume level of the USB/BT/DAB/FM knob, from Vol: 00 to Vol: 32.



3. Press the MODE button until you reach the BT mode. The display will show the "Pause" state, the BT device name (the one you will read in the settings of your mobile, tablet, or other BT player) and the "Connected" or "Not connected" state if the machine has been paired with another BT device.



4. Launch the "ConfigurationTool-V1.0.exe" software, or later versions. On the right section of the software, below the BT logo, you will read the current BT pairing name and password.

This is a screenshot of a software window. It has two text input fields. The first is labeled "Bluetooth Name:" and contains the text "HDMA-120D". The second is labeled "Password:" and contains the text "0013". Below these fields is a blue button with the word "Confirm" in white text.

5. Insert the new name (do not exceed 16 characters) and password (use only 4-digit numbers - e.g. 0000, 8888, etc. - for compatibility with older iOS devices).

This is a screenshot of the same software window as before. The "Bluetooth Name:" field now contains the text "NewName". The "Password:" field still contains the text "0001". The blue "Confirm" button is still present at the bottom.

6. Press "Confirm" to update data in the HELVIA mixer-amplifier.

7. Remove the USB cable from the mixer, wait a few seconds then turn on the unit. Try pair your mobile or tablet selecting the device with the new chosen name then enter the password.

