


Maono Link Instruction manual

Compatibility : DM30,PD200X,PD400X



Getting Started

Connect to the Computer



Before using the software, Prepare:

1. Download and install Maono Link on your computer
2. Connect a Maono Link-enabled device to your computer
3. Connect your headphones to the 3.5MM jack of your microphone
4. Open your Maono Link and click on the product icon to enter the main control panel

The following documents are for reference of DM30, the actual interface is subject to the display



1. Select a product to go to operation page.

2. Click the icon to go to Maono social media page.

3. Setting



settings



Copyright @ 2022-2030 MAONO. All rights reserved.

End User License Agreement

Version: 2.1.2


Version Update: Check for Update

Language: English ▾




1. Check for software updates

2. Languages



Basic functions

1. Microphone audio processing features, RGB light customization, real-time control of microphone.
2. Fine mic gain headphone volume control, one-button mute.
3. Four microphone tone options.
4. RGB light on/off switch, brightness adjustment, color selection, and display mode.



Advanced

4 EQ modes

1. **Flat**: delivers original sound.
2. **High-pass**: reduces low-frequency noises.
3. **Presence boost**: boosts the mid-frequency vocal and instrument sound.
4. **High-pass** and presence boost.



Advanced Function


5. Limiter: prevents distortion caused by high volume.

Function Definition: The limiter can control the peak level below the threshold. Processors that can control the transient level and signal peak level below the threshold level can be called a limiter.

6. Compressor: limits the dynamic range of audio and prevents overload.

7. RGB light : on/off, brightness, color and display mode are also available in Pro mode.

Firmware online upgrade



1. Check for Firmware Update:
Can be updated to the latest firmware

2. Factory Reset:
You can reset the microphone and restore the factory settings